acquray[®] series

Enter a new world of TOC analysis and more



Ease of use



Great flexibility











acquray series

Performance meets ease of use

KEY FEATURES

- Easy to use
- LOD of 2 ppb for TOC in water
- Automatic acidification for NPOC determination
- Option for TOC, ROC and TIC in solids
- Options for TN and TP in water
- Optional autosampler with up to 111 positions
- Best price-to-performance ratio
- Low investment costs

With the new **acquray** series Elementar opens an entirely new way for easy Total Organic Carbon (TOC) analysis and more. The technology is based on a chemical oxidation process supported by highly energetic UV radiation. This combination ensures complete digestion of all organic compounds. The modular concept allows the attachment of optional extra modules for the determination of TOC in solids, Total Nitrogen (TN) in water and Total Phosphorus (TP) in water. The instrument comes with predefined methods, completely calibrates itself automatically and autoalerts the user any time maintenance is needed. This makes the **acquray** series the ideal solution for routine labs that require instruments with high laboratory efficiency and minimal down-time.



Ease of use

The **acquray** series is optimized to significantly simplify the daily routine operation. Clearly arranged, easily accessible system components minimize maintenance efforts. Thus, customers can enjoy smooth analyses and confidence in their results.

A workhorse for any laboratory

The **acquray** series is designed for maximum robustness and minimal maintenance effort, thus providing industry-leading system uptime. For unattended overnight operation, optional autosampler configurations with up to 111 positions are available.

TOC BY WET CHEMICAL OXIDATION



A strong oxidation agent, such as sodium peroxydisulfate, is added to the sample and heated up to 100 °C. The oxidizing process can be further supported by irradiation with UV light at a wavelength of 185 nm and 254 nm. The peroxydisulfate forms hydroxyl radicals that oxidize all carbon in dissolved organic matter to carbon dioxide. Carrier gas then transports the generated CO₂ through an infrared detector. The peak area is converted into a TOC concentration using a simple predetermined calibration curve.

Outstanding versatility

The **acquray** series, with its modular concept, offers an industry-leading versatility. Starting from the TOC analyzer base module, additional extra modules can be attached at anytime. For increased sample throughput, an autosampler unit is available, offering several carousels for different sample vial sizes. An optional combustion furnace for solid samples can be used either for the classical TOC analysis of solids via acidification prior to combustion, or for the more advanced method via temperature ramping without acidification. Completing the package, another two unique modules are available that enable the determination of Total Nitrogen in water and Total Phosphorus in water. Thus, **acquray** is the world's first UV-digestion TOC analyzer with a Total Nitrogen and/or a Total Phosphorus option (patent pending).

Made in Germany

All Elementar elemental analyzers are developed and manufactured in-house at the Elementar headquarters near Frankfurt ensuring high quality German engineering. High performance components and strict quality control yield industry-leading quality and reliability. Designed for easy laboratory integration, features such as automatic weight transfer from balance or LIMS integration are readily available. Our team's singular devotion and investment to elemental analysis guarantees a superior experience that any user will appreciate.

TOC, ROC AND TIC IN SOLIDS

With the optional solid sample combustion unit it is possible to determine different carbon fractions in solids using the socalled temperature ramp method - fast and safe without acidification. With this it is possible to distinguish between Total Organic Carbon (TOC400) at 400 °C, Residual Oxidizable Carbon (ROC) at 600 °C and Total Inorganic Carbon (TIC900) at 900 °C. This gives useful information for the validation of soil or solid waste. For example, the amount of elemental carbon is an important parameter, since this form of carbon is not bioavailable. With its fast heating rates and precise temperature setting the acquray series is fully compliant to the German DIN 19536 standard.

Water analysis has never been easier!

SAMPLE	RECOVERY [%]	REL. SD
SACCHAROSE	99.3	0.26
BENZOQUINONE	99.6	0.65
BARBITURIC ACID	102.6	1.58
DODECYL- SULPHATE	95.6	0.65
ALBUMIN	97.2	0.98
HUMIC ACID	97.2	1.67

Sample: 10 ppm

IDEAL SOLUTION FOR

- Environmental laboratories
- Waste water treatment plants
- Academic research groups
- Quality control laboratories

THE ALTERNATIVE FOR COD

The analysis of the chemical oxygen demand (COD) is a commonly used method for the indirect measurement of organic compounds in water. Hazardous chemicals, long analysis time and the lack of automation explain the trend towards the TOC method in recent years. As with any method change, the reason for continuing to perform the older methods is the amount of historical data that is available to compare results against. With time it is expected that COD will be consigned to the history books. With this in mind, the **acquray** series was developed to provide an attractive alternative to COD with its outstanding ease of use and fully automated, fast analysis.

IN ACCORDANCE WITH STANDARDS

The **acquray** series operates in full compliance with all relevant national and international norms or standards such as ISO 8245, EN 1484, DIN 19539, ISO 29441, and ISO 15681.

SAMPLE TYPES ANALYZED

- Ultra-pure water
- Drinking water
- Groundwater
- Soil



Ease of use

Easy, labor-saving instrument operation and sample preparation. Simplified maintenance.

Elementar - your partner for elemental analysis

forensics markets in more than 80 countries.

Elementar-Straße 1 · 63505 Langenselbold (Germany)

Elementar Analysensysteme GmbH

Elementar is the world leader in high performance analysis of organic elements. Continuous innovation, creative solutions and comprehensive support form the

foundation of the Elementar brand, ensuring our products continue to advance science across agriculture, chemical, environmental, energy, materials and

Phone: +49 (0) 6184 9393-0 | info@elementar.de | www.elementar.de



Great flexibility

Range of optional extra modules available for special applications. Upgradeable at any time.



High sensitivity

Outstanding sensitivity thanks to high performance, state-of-theart technology.



High data quality

Outstanding precision and accuracy through high performance components.





